(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	İ	ut	Dwellings with basements		Small commercial buildings 	
				 Rating class and limiting features 			
1C: Ida	 - 95 	 		 Not limited		 Somewhat limited Slope	 0.86
1C3: Ida	 - 95 	 Not limited 	 	 Not limited	 	 Somewhat limited Slope	10.86
1D: Ida	 - 95					 Very limited Slope	11.00
1D3: Ida	 - 95			 Somewhat limited Slope		 Very limited Slope	11.00
1E: Ida				 Very limited Slope		 Very limited Slope	1 1 1 1 1 1 1 1 1 1
1E3: Ida						 Very limited Slope	1 1 1 1 1 1 1 1 1 1
1F: Ida				 Very limited Slope		 Very limited Slope	1 1 1 1 1 1 1 1 1 1
1F3: Ida				 Very limited Slope		 Very limited Slope	1 1 1 1 1 1 1 1 1 1
1G: Ida				 Very limited Slope		 Very limited Slope	1 1 1 1 1 1 1 1 1 1
2G: Hamburg	 - 90	 Very limited Slope				 Very limited Slope	1 1 1 1 1 1 1 1 1 1
3D: Castana	 - 100	 Somewhat limited Slope	1 0.63	 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1	 Very limited Slope	1 1 1 1 1 1 1 1 1 1
3E: Castana	 - 95 	 Very limited Slope	 1.00	 Very limited Slope	 1.00	 Very limited Slope	 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

and soil name	Pct. of map unit	basements	out	Dwellings with basements	1	Small commercia buildings	al
	 			Rating class and limiting features			
3F: Castana	95	 Very limited Slope		 Very limited Slope		 Very limited Slope	1 1 .00
10B: Monona	1100			 Somewhat limited Shrink-swell	10.50	 Somewhat limited Shrink-swell Slope	 0.50 0.01
10C: Monona	 95 	•		 Somewhat limited Shrink-swell 	 0.50	 Somewhat limited Slope Shrink-swell	 0.86 0.50
10C2: Monona	95	 Somewhat limited Shrink-swell	10.50	 Not limited 	 	 Somewhat limited Slope Shrink-swell	 0.86 0.50
10C3: Monona	 95 	 Somewhat limited Shrink-swell 	 0.50	 Not limited 	 	 Somewhat limited Slope Shrink-swell	 0.86 0.50
10D: Monona	 95 	Slope	0.63	 Somewhat limited Slope Shrink-swell	10.63	 Very limited Slope Shrink-swell	 1.00 0.50
10D2: Monona	95	Slope		Slope		 Very limited Slope Shrink-swell	1 1.00 10.50
10D3: Monona	90	 Somewhat limited Slope Shrink-swell		 Somewhat limited Slope 	0.63	 Very limited Slope Shrink-swell	1 1.00 10.50
10E: Monona	95	 Very limited Slope Shrink-swell		 Very limited Slope Shrink-swell		 Very limited Slope Shrink-swell	1 1.00 10.50

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

and soil name	Pct. of map unit	basements	ut	Dwellings with basements		Small commercia buildings 	al
	 			Rating class and limiting features			
10E2: Monona		Slope		=	11.00	 Very limited Slope Shrink-swell	 1.00 0.50
10E3: Monona	 95 	Slope				 Very limited Slope Shrink-swell	11.00
10F: Monona		Slope		 Very limited Slope Shrink-swell		 Very limited Slope Shrink-swell	11.00
10F2: Monona	95	Slope		 Very limited Slope 	11.00	 Very limited Slope Shrink-swell	11.00
10F3: Monona	 95 	Slope				 Very limited Slope Shrink-swell	11.00
10G: Monona	 90 	Slope		 Very limited Slope Shrink-swell		 Very limited Slope Shrink-swell	11.00
12B: Napier	95	 Not limited 	 	 Not limited		 Somewhat limited Slope	0.01
12C: Napier	 95 	 Not limited 		 Not limited 		 Somewhat limited Slope	1 1 1 0.86
12D: Napier	 95 			 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Very limited Slope	1 1 1 1 1 1 1 1 1 1
17B: Napier	40	 Not limited 	 	 Not limited 		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

and soil name	Pct. of map unit		ut	Dwellings with basements 		Small commercia buildings 	al
	 			Rating class and limiting features			
Colo	 30 	Flooding Shrink-swell 	1.00 0.50 	Flooding Depth to saturated zone	1.00 1.00	Shrink-swell	 1.00 0.50
		Depth to saturated zone		Shrink-swell		Depth to saturated zone	10.39
Kennebec		Flooding	1.00 0.50	Flooding Depth to saturated zone		İ	 1.00 0.50
33D:		 		 		 	
Steinauer	90 	Slope	0.63	Slope	0.63	Very limited Slope Shrink-swell	 1.00 0.50
33E: Steinauer	 95 	Slope		Slope		 Very limited Slope Shrink-swell	 1.00 0.50
33F: Steinauer	 90 	Slope		Slope		 Very limited Slope Shrink-swell	 1.00 0.50
33G: Steinauer	 90 	Slope		Slope		 Very limited Slope Shrink-swell	 1.00 0.50
36: Salix	 100 	·		Flooding	1.00 0.82	•	1 1 .00
44: Blencoe	 95 	 Very limited Flooding Shrink-swell 	 1.00 1.00		 1.00 1.00		 1.00 1.00
		Depth to saturated zone	11.00	Shrink-swell	0.50	Depth to saturated zone	11.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements	out	Dwellings with basements		Small commercia buildings	al
	 			Rating class and limiting features 			
46: Keg	 - 100 	 Very limited Flooding		 Very limited Flooding		 Very limited Flooding	 1.00
54: Zook		Flooding Depth to saturated zone	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 1.00
54+: Zook	 - 100 	Flooding Shrink-swell	1.00 1.00 0.98	 Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 1.00	•	 1.00 1.00 0.98
66: Luton	 - 95 	Depth to saturated zone	1.00 1.00 	•	1.00 1.00		 1.00 1.00 1.00
66+: Luton	 - 100 	. =	11.00	 Very limited Shrink-swell Depth to saturated zone	11.00	 Very limited Shrink-swell Depth to saturated zone	 1.00 0.39
67: Woodbury	 - 95 	Flooding Depth to saturated zone	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 1.00
68: Napa	 - 95 	 Very limited Flooding Depth to saturated zone Shrink-swell	11.00	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements	ut	Dwellings with basements		Small commercia buildings	ıl
				Rating class and limiting features			
70: Mcpaul			11.00	Flooding		 Very limited Flooding 	1 1.00
123: Grantcenter		Flooding Depth to saturated zone	1.00 1.00 	Depth to saturated zone	1.00 1.00 	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 0.50
133: Colo	 - 100 	Flooding Shrink-swell	1.00 0.50 0.39	Flooding Depth to saturated zone	1.00 1.00 0.50		 1.00 0.50 0.39
133+: Colo		Flooding Shrink-swell 	1.00 0.50 0.39	Depth to	1.00 1.00 	Shrink-swell	 1.00 0.50 0.39
137: Haynie						 Very limited Flooding	1 1 . 00
144: Blake	 - 100 	Flooding Depth to saturated zone	11.00	Depth to saturated zone	11.00	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 0.50
145: Onawa		Flooding	1.00 1.00	Flooding	11.00		 1.00 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements	ut	Dwellings with basements		Small commercia buildings 	al
				Rating class and limiting features			
146: Onawa	90	Flooding	1.00 1.00	Flooding	11.00	Depth to	 1.00 1.00
147: Modale	 95 	Flooding Shrink-swell	1.00 1.00 1.00	Flooding Shrink-swell Depth to	1.00 1.00 1.00	Shrink-swell	 1.00 1.00 1.00
149: Modale	 95 	Flooding Shrink-swell	1.00 1.00 1.00	Flooding Shrink-swell Depth to	1.00 1.00 1.00	Depth to	 1.00 1.00 1.00
155: Albaton	 100 	Flooding Depth to saturated zone	1.00 1.00	Flooding Depth to	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00
156: Albaton	 - 100 	Flooding Depth to saturated zone	1.00 1.00	Flooding Depth to saturated zone	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 1.00
157: Albaton	 100 	Flooding Depth to saturated zone	11.00	Flooding Depth to saturated zone	11.00	Depth to saturated zone	 1.00 1.00 1.00
212: Kennebec	 90 	 Very limited Flooding Shrink-swell 	 1.00 0.50 		 1.00 0.82 0.50	Shrink-swell	 1.00 0.50

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

and soil name	Pct. of map unit	basements	ut	Dwellings with basements		Small commercia buildings 	al
				Rating class and limiting features 			
212+: Kennebec	 95 	Flooding		Depth to saturated zone		İ	 1.00 0.50
220: Nodaway	 95 	Flooding		Depth to saturated zone		İ	 1.00 0.50
234: Nishna	 100 	Flooding Shrink-swell	1.00 1.00 0.39	Flooding Shrink-swell Depth to		•	 1.00 1.00 0.39
237: Sarpy	 95	 Not limited	 	 Not limited	 	 Not limited	
237B: Sarpy	100	 Not limited 		 Not limited 	 	 Somewhat limited Slope	0.01
244: Blend	 100 	Flooding Depth to saturated zone	1.00 1.00	Flooding Depth to saturated zone		saturated zone	 1.00 1.00 0.50
255: Cooper	 100 	Flooding Shrink-swell	1.00 1.00 1.00	Shrink-swell Depth to	1.00 1.00	 Very limited Flooding Shrink-swell Depth to saturated zone	 1.00 1.00 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements	out	Dwellings with basements		Small commercia buildings 	al
	 _			 Rating class and limiting features 			
257:		 		 		 	
Uturin	- 100 	 Flooding Depth to saturated zone 		 Very limited Flooding Depth to saturated zone Shrink-swell		saturated zone	 1.00 1.00
266: Smithland	 - 100 	 Very limited Flooding Depth to saturated zone Shrink-swell	11.00	 Very limited Flooding Depth to saturated zone Shrink-swell		saturated zone	 1.00 1.00
275: Moville	95	 	 	 Very limited Flooding	 	 Very limited Flooding Depth to saturated zone	 1.00 1.00
366: Luton	 - 100 	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	· •	 1.00 1.00
430: Ackmore	 - 90 	 Very limited Flooding Shrink-swell Depth to saturated zone					 1.00 1.00 0.39
436: Lakeport	 - 100 	 Very limited Flooding Shrink-swell Depth to saturated zone	 1.00 1.00 1.00	Shrink-swell	 1.00 1.00 1.00	Shrink-swell	 1.00 1.00 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Ī	ut	Dwellings with basements		Small commercia buildings 	al
	 			Rating class and limiting features			
446: Burcham	 - 100 			Shrink-swell Depth to		 Somewhat limited Shrink-swell 	 0.50
465: Tieville		Flooding Depth to saturated zone	1.00 1.00 	Flooding Depth to saturated zone	1.00 1.00 	Depth to saturated zone	 1.00 1.00 1.00
510: Monona	-1100	 Somewhat limited	 	 Somewhat limited		 Somewhat limited	
							0.50
510B: Monona	- 100	 Somewhat limited Shrink-swell 		 Somewhat limited Shrink-swell	0.50	 Somewhat limited Shrink-swell Slope	 0.50 0.01
510C: Monona	- 100	 Somewhat limited Shrink-swell			0.50	-	10.86
510C2: Monona	- 100	 Somewhat limited Shrink-swell					 0.86 0.50
510C3: Monona	 - 100 		1 0.50	 Not limited 			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
514: Grable	95	 Very limited Flooding 	1 1.00	 Very limited Flooding 	1 1.00	 Very limited Flooding 	11.00
515: Percival	100	 Very limited Flooding Depth to saturated zone	1.00		11.00		 1.00 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements		Dwellings with basements		Small commercia buildings 	al
				Rating class and limiting features			
516: Vore	 - 100 	Flooding	11.00	Flooding	11.00	 Very limited Flooding 	 1.00
552: Owego	 - 100 	Depth to saturated zone	1.00 1.00	Flooding Depth to saturated zone	1.00 1.00 	Depth to saturated zone	 1.00 1.00 1.00
553: Forney	 - 100 	Depth to saturated zone	1.00 	Depth to saturated zone	1.00 		11.00
670: Rawles	 - 100 			Depth to saturated zone		L	 1.00 0.50
717D: Gullied Land	 - 50 	 Not rated 		 Not rated 		 Not rated 	
Napier				 Somewhat limited Slope		 Very limited Slope 	11.00
746: Lossing	 - 100 	 Not limited 			0.95	 Not limited 	
747: Rodney	 - 100 	 Somewhat limited Depth to saturated zone 	0.39 	Shrink-swell	1.00 1.00	 Somewhat limited Depth to saturated zone 	 0.39

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements	out	Dwellings with basements	l	Small commercia buildings	al
	 			 Rating class and limiting features 			
748:		 	1	 		 	
Hornick	100 	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	 Very limited Flooding Shrink-swell Depth to saturated zone		saturated zone	 1.00 1.00 0.50
754:				 			
Larpenteur	100 	Very limited Flooding Depth to saturated zone	11.00	Very limited Flooding Depth to saturated zone		Very limited Flooding Depth to saturated zone	 1.00 1.00
945:				 			
Albaton	100 	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	11.00	Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 1.00
946:				 		 	
Albaton	100 	Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00		 1.00 1.00 1.00
1137:		 		 		 	
Haynie	100 	Very limited Flooding		Very limited Flooding		Very limited Flooding	11.00
1144:	i		i				i
Blake	100 	Very limited Flooding Depth to saturated zone Shrink-swell	11.00	Very limited Flooding Depth to saturated zone 		Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00 0.50
1145:		177 144	1		1	177 1::	1
Onawa	95 	Very limited Flooding Depth to saturated zone		Very limited Flooding Depth to saturated zone		Very limited Flooding Depth to saturated zone	1.00 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements		Dwellings with basements		Small commercial buildings 	
	 			Rating class and limiting features			
1146: Onawa	90	' -				 Very limited Flooding	
	İ	-	11.00		11.00	,	11.00
1147:	l	 	1		1	 	l l
Modale	95 	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.07	Shrink-swell Depth to	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	 1.00 1.00 0.07
1150:							
Modale	95 	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 1.00	Shrink-swell Depth to	1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	 1.00 1.00 1.00
1155: Albaton	 100 	 Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00	Flooding Depth to saturated zone	1.00 1.00	 Very limited Flooding Depth to saturated zone Shrink-swell	 1.00 1.00
		SHITHK-SWEIT	11.00	SHITHK-SWEIT	11.00	SHITHK-SWELL	
1156: Albaton	 100 	Flooding Depth to saturated zone	1.00 1.00 	Depth to saturated zone	1.00 1.00 	saturated zone	 1.00 1.00
		Shrink-swell	11.00	Shrink-swell	11.00	Shrink-swell	11.00
1157: Albaton	100	, Very limited	 	 Very limited	 	' Very limited	i I
	 	Depth to	11.00	Depth to saturated zone	11.00	Depth to saturated zone	1.00 1.00 1.00
1220: Nodaway	 95 	 Very limited Flooding Shrink-swell 	 1.00 0.50	•	 1.00 0.82 0.50	 Very limited Flooding Shrink-swell 	 1.00 0.50

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements		Dwellings with basements		Small commercial buildings 	
				Rating class and limiting features			
1237: Sarpy	 - 95 	•				 Very limited Flooding	 1.00
1237B: Sarpy	 - 100 			 Very limited Flooding		 Very limited Flooding Slope	11.00
1514: Grable	 - 95	. 4		-		 Very limited Flooding	11.00
1515: Percival	 - 100 	Flooding	1.00 1.00	Flooding Depth to	1.00 1.00	 Very limited Flooding Depth to saturated zone	11.00
1516: Vore	 - 100 			Flooding Depth to		 Very limited Flooding 	11.00
1524: Morconick	 - 90 	•		-		 Very limited Flooding 	11.00
1525: Scroll	 - 100 	Flooding	1.00	•	11.00	 Very limited Flooding Depth to saturated zone	11.00
1526: Scroll	 - 100 	Flooding	1.00	Flooding	1.00	 Very limited Flooding Depth to saturated zone	 1.00 1.00
1552: Owego	 - 100 	 Very limited Flooding Shrink-swell Depth to saturated zone	 1.00 0.50 0.39	Shrink-swell	 1.00 1.00 1.00	Shrink-swell	 1.00 0.50 0.39

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	basements	Dwellings without basements		Dwellings with basements		Small commercial buildings 	
				Rating class and limiting features 				
1746: Lossing	 - 100 		1.00		1.00 0.95	 Very limited Flooding 	 1.00 	
1747: Rodney	 - 100 	Flooding	1.00 0.39		11.00		11.00	
1750: Ticonic	- 100	. 4		 Very limited Flooding		 Very limited Flooding	11.00	
1849: Kenmoor	 - 100 			Flooding	1.00 1.00 0.82	•	11.00	
5010: Pits, Sand And Gravel	 - 100	 Not rated 	 	 Not rated 	 	 Not rated 	 	
5040: Orthents, Loamy	 - 100 	 Not rated 		 Not rated 		 Not rated 	 	
5044: Fluvaquents	 - 100 	 Not rated 	 	 Not rated 	 	 Not rated 	 	
5045: Aquents	 - 100	 Not rated 		 Not rated		 Not rated 	 	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

and soil name	Pct. of map unit	basements		 Dwellings with basements 		 Small commercial buildings 	
	 			 Rating class and limiting features 			
5046: Aquents	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	
5047: Aquents	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	
5051: Fluvaquents, Ponded-	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	
5090: Aquents	 60 	 Not rated 	 	 Not rated 	 - - -	 Not rated 	
Orthents	40	 Not rated 	 	 Not rated 		 Not rated 	
AW: Animal Waste	 100 	 Not rated 	 	 Not rated 		 Not rated 	
SL: Sewage Lagoon	 100 		 1.00	 Very limited Slope	1 1.00	 Very limited Slope	1 1 1 1 1 1 1 1 1 1
W: Water	 100 	 Not rated 	 	 Not rated 	 	 Not rated 	